GINGERSN

The Choice For maximizing Oval Optics



GINGER SN (Short Nose) is a special version of Ginger, a line of spotlights affording a small and slick design and leading-edge technology, for the Specific Use of Oval optics & Outdoor Up-light Lighting.

GINGER SN is a free-standing spot fixture, having a smart base that allows the fixture to be adjusted vertically. Although it is small in size, it affords a mighty light output of 241lm (4000K 80CRI), thanks to the new Luxeon TX LED. Optics: 3 Options of Oval Optics: 54X12/53X7/55X8 degrees. Also available in 8° / 13° / 24° / 29° / 44°

Unlike **GINGER** with its dark-light design, the **GINGER SN** is a perfect match for up lights and for Oval Optics when quality and accuracy are important and wide oval lenses are essential.



55X8° /

54X10°/

53X7°

121lm/w

241Lumen

2700 -

6500K

2.1W

IP 67

70-90

RAL /

Anodize

Monochrom

OUTPUT

Luxeon TX / Luxeon Z ES / Luxeon Z &

Luxeon CZ

Intensity 241lm @ full power CRI 80 4000K

Channel Range 1 Channel

Color Range 2200K /2700K / 3000K / 3500K /

4000K / 5000K /5700K / 6500K

Optical System 8° / 10° / 15° / 25° / 32° / 45° /Oval

Options: 55X8° / 54X10° / 53X7°

ELECTRICAL

Control Constant current driver / 24V with Mini

CC2CB

Input Voltage 3V

Consumption 2W @ 700mA

Max LED's 1 Led

Efficiency LM/W 121lm/w

Connection 2 * 20AWG Neoprene Cable

ENVIRONMENTAL

IP Rating IP 67

Working Temp. $-18^{\circ}\text{C} \sim 40^{\circ}\text{C} / 0^{\circ}\text{F} \sim 104^{\circ}\text{F}$


Storage Temp. $-10^{\circ}\text{C} \sim 60^{\circ}\text{C} / 14^{\circ}\text{F} \sim 140^{\circ}\text{F}$


PHYSICAL


Size

Housing Aluminum Anodize

DRAWING







Jan 2018

36

BRACKETS